

SAFETY DATA SHEET

Issue Date 01-Feb-2015

Revision Date 01-Feb-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name

Ultramax Floor Finish

Other means of identification

SDS#

JC-009-103

Details of the supplier of the safety data sheet

Pro-Tex-All 210 S. Morton Avenue Evansville, IN 47713

Emergency telephone number

Company Telephone

812-424-8268

Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

Label elements

Emergency Overview

Hazard statements

Harmful to aquatic life with long lasting effects

Appearance Opaque

Physical state Liquid

Odor Acrylic

Precautionary Statements - Prevention

Avoid release to the environment

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

13.95708% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Zinc oxide	1314-13-2	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact

Wash skin with soap and water.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation

Remove to fresh air.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms

Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions

See Section 12 for additional ecological information.

Ultramax Floor Finish Revision Date 01-Feb-2015

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc oxide	STEL: 10 mg/m ³ respirable fraction	TWA: 5 mg/m³ fume	IDLH: 500 mg/m ³
1314-13-2	TWA: 2 mg/m³ respirable fraction	TWA: 15 mg/m ³ total dust	Ceiling: 15 mg/m ³ dust
		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ dust and fume
		(vacated) TWA: 5 mg/m³ fume	STEL: 10 mg/m³ fume
		(vacated) TWA: 10 mg/m³ total	_
		dust	
		(vacated) TWA: 5 mg/m³ respirable	
		fraction	
		(vacated) STEL: 10 mg/m³ fume	
2-(2-methoxypropoxy)propanol	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	-
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir. 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene

Handle in accordance with good industrial hygiene and safety practice.

Remarks

Method

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceOpaqueColorWhiteOdorAcrylic

Odor threshold No Information available

<u>Property</u> <u>Values</u>

pH 8.0 - 9.0 Specific Gravity 1.04

Viscosity Slightly Viscous

Melting point/freezing point No Information available

Flash point >200 °F

Boiling point / boiling range

Evaporation rate >1 (butyl acetate = 1)

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:Not ApplicableLower flammability limit:Not Applicable

Vapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficient
Autoignition temperature
Decomposition temperature
No Information available
No Information available

Other Information

Density Lbs/Gal 8.67 VOC Content (%) 4.3175

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Ultramax Floor Finish Revision Date 01-Feb-2015

Information on likely routes of exposure

Product Information No data available Harmful by inhalation, ingestion, in contact with eyes and skin.

Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-ethoxyethoxy)ethanol 111-90-0	= 1920 mg/kg (Rat)	= 4200 μL/kg (Rabbit)= 6 mL/kg (Rat)	> 5240 mg/m³ (Rat)4 h
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	Yes	Yes

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available. Germ cell mutagenicity No Information available. Carcinogenicity No Information available. Reproductive toxicity No Information available. STOT - single exposure No Information available. STOT - repeated exposure No Information available. Target organ effects Respiratory system. **Aspiration hazard** No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 13.95708% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

12. ECOLOGICAL INFORMATION

Ecotoxicity

20.56063% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tributoxyethyl Phosphate	Yes	10.4 - 12.0: 96 h Pimephales	Yes
78-51-3		promelas mg/L LC50 flow-through	
2-(2-ethoxyethoxy)ethanol	Yes	10000: 96 h Lepomis macrochirus	3940 - 4670: 48 h Daphnia magna
111-90-0		mg/L LC50 static 19100 - 23900: 96	mg/L EC50
		h Lepomis macrochirus mg/L LC50	
		flow-through 11400 - 15700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 11600 - 16700: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 13400: 96 h Salmo	
		gairdneri mg/L LC50 flow-through	
[2-(2-	Yes	11619: 96 h Pimephales promelas	10: 48 h Daphnia magna mg/L
Methoxymethylethoxy)methylethoxy]		mg/L LC50 static	EC50
-propanol			
25498-49-1			
2-(2-methoxypropoxy)propanol	Yes	10000: 96 h Pimephales promelas	1919: 48 h Daphnia magna mg/L
34590-94-8		mg/L LC50 static	ĹC50

Methyl Chloro Isothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static
Magnesium Chloride 7786-30-3	2200: 72 h Desmodesmus subspicatus mg/L EC50	1970 - 3880: 96 h Pimephales promelas mg/L LC50 static 4210: 96 h Gambusia affinis mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Zinc oxide	Toxic
1314-13-2	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-(2-ethoxyethoxy)ethanol - 111-90-0	1.0
[2-(2-Methoxymethylethoxy)methylethoxy]-propanol - 25498-49-1	1.0
Zinc oxide - 1314-13-2	1.0

SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide 1314-13-2	Yes	X	Yes	Yes

CERCLA

This material, as supplied, does not contains any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol 111-90-0	X	Yes	X
[2-(2- Methoxymethylethoxy) -propanol 25498-49-1	Х	Yes	Х
Zinc oxide 1314-13-2	Х	Х	Х
Magnesium Nitrate 10377-60-3	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection B

Issue Date 01-Feb-2015
Revision Date 01-Feb-2015
Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet